

Overview

Universal docking for today's laptops

Connect your USB-C®-enabled laptop to your displays, accessories, and wired network with the versatile, elegant, and space-saving HP USB-C® Dock G5.

Compatibility without constraints

Designed with universal compatibility in mind, this dock works with both HP and non-HP USB-C®- and Thunderbolt™-enabled laptops.[1]

Clear the clutter

Avoid a messy desk by using a simple onecord setup that plugs in multiple devices.

Features

Easily manage your environment

Help secure and remotely manage your laptop with this dock that has advanced network manageability features.[1]

Single-cable solution

Add your accessories and up to three displays to the dock.[3] Then simply connect it to your laptop through a single USB-C® cable to access your devices and charge your PC.

Small footprint

Reclaim your desk with a compact dock that takes up only 5 x 5 inches of space.

Efficient firmware updates

Save time with dock firmware updates pushed to your laptop, even when they are not connected.[4]

[1] For USB-C® functionality, host PC must support the DisplayPort $^{\mathbb{M}}$ Alt mode protocol through its USB-C® port. Thunderbolt $^{\mathbb{M}}$ -enabled notebooks will function at USB-C® speeds. Charging and port replication is supported on notebooks that have implemented USB-C® industry specifications. Power button to turn on or wake the system, on HP notebooks. HP does not provide Ethernet and audio drivers on Mac PCs.

Specifications

Dimensions (W x D x H)	12.2 x 12.2 x 4.5 cm	
Weight	0.75 kg	
Video connectors	HDMI; DisplayPort™-out; USB Type-C®	
Ports	Front: 1 USB-C® port with data and power out (15W); 1 USB-C® cable to connect to host system Side: 2 USB 3.0 charging ports; 1 combo audio jack Back: 2 USB 3.0 charging ports; 2 DisplayPort™ ports; 1 RJ45 port; 1 HDMI 2.0 port; 1 standard lock slot	
Package dimensions (W x D x H)	19.2 x 15.6 x 16.5 cm	
Package weight	1.49 kg	
Power	Power to system: Up to 100W via USB-C $^{\odot}$ Power to host (USB-C PD): 5V , 9V, 10V, 12V, 15V, 20V all at 5A MAX	
Security management	1 Lock slot (side, lock is sold separately)	
Minimum System Requirements	USB Type-C [®] (USB Power Delivery, Alt Mode DisplayPort™)	
UPC number	(ABB) 193905208531; (ABT) 193905208579	
Manufacturer Warranty	One-year limited warranty.	
What's in the box	HP USB-C® Dock G5; AC Adapter; AC Power cord; Product notices; Warranty; Quick Start guide	

Additional specifications

Color	Black	
Compatibility	Compatible with HP laptops, MacBook® computers, and other laptops.[2]	
Compatibility disclaimer 1	Separate AC needed for HP ZBooks that require more than 100W power delivered via USB-C. HP EliteBook 1050 G1 requires a separate AC adapter.	
Compatibility disclaimer 2	Dock power button will not work on Chromebooks.	
Compatibility disclaimer 3	Provides up to 100 W via USB-C.	
Compatibility disclaimer 4	Power not supported on Mobile Workstation Laptops.	
Compatible Operating Systems	Windows 10; Windows 11; macOS; Chrome OS™	
Datasheet photo 1	AHID/ee759b744d426a81b055952a0c66639658188e51	
Datasheet photo 2	AHID/b9965fbac9dc72d3c60b28109bd5f4703ef0937f	
Datasheet photo 3	AHID/c86151a7dac97b58d96e960b2649a9f04cba29b9	
Datasheet photo 4	AHID/090b57fbd1f0586098d1f53483ce3b3279d14eff	
Master carton dimension (metric)	48.3 x 39.2 x 17.5 cm	
Master carton weight (metric)	8.94 kg	
Product safety	https://support.hp.com/us-en/document/ish_6126692-6126777-16? openCLC=true	
Product subgroup	Docking	
	Dual monitor	
Product type	Port replicators	
UNSPSC code	43211602	

Services

Workforce Computing

Support Services (Workforce Computing)

HP 4y Next Business Day Response Advanced Exchange Docking Station HW Supp	UJ392E
HP 5y Next Business Day Response Advanced Exchange Docking Station HW Supp	UJ393E

★: Recommended

Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (il-en) – Nov 12, 2025 6:50 AM UTC+0000