

Overview

Universal docking for legacy and current notebooks

Get to work fast with one cable from your USB-A- and USB-C™-enabled notebooks[1] to your displays, devices, and wired network with the flexible, compact HP USB-C/A Universal Dock G2. The dock is driven by DisplayLink and compatible with notebooks from HP, Apple®, Dell, Lenovo, and more.[2]

Future-proof your fleet

Designed with universal compatibility in mind, this dock works with both HP and non-HP USB-A-, USB-C[™]-, and Thunderbolt[™]-enabled notebooks.[1]

Single-cable solution

Add your accessories and up to three 4K displays[3] to the dock. Then simply connect it to your notebook[1] through a single USB-C™ cable to access your devices and charge your PC.

Backward compatibility

Use the included USB-A Adapter to connect your USB notebook to the dock and access your accessories and up to two 4K displays. [4] Use the optional HP 4.5 mm and USB-C Dock Adapter G2[5] for legacy device barrel charging.

Easily manage your commercial HP fleet

Help IT secure and remotely manage your deployed commercial HP notebooks[1] and the dock with advanced network manageability features that include PXE Boot, LAN/WLAN switching, and WoL and MAC Address Pass-Through in all power states.

Features

We test so you can rest

Rigorous testing[2] helps assure dock compatibility across HP notebooks and Apple®, Dell, and Lenovo notebooks with USB-C™ charging ports.[2]

[1] For USB- C^{TM} functionality, host PC must support the DisplayPort Mlt mode protocol through its USB- C^{TM} port. Thunderbolt -enabled notebooks will function at USB- C^{TM} speeds. Charging and port replication is supported on notebooks that have implemented USB- C^{TM} industry specifications. Power button to turn on or wake the system, Wake-on LAN from warm and cold dock, Wake-on LAN from S4/S5, and MAC Address Pass-Through S0, S3, S4, S5 warm and cold dock features only function on HP or HP-supported notebooks. HP does not provide Ethernet and audio drivers on Mac PCs.

- [2] Based on HP internal testing on select non-HP notebook models compatible with USB- C^{m} industry standards. Certain Alt mode features are not supported, such as power button, MAC Address Pass-Through, Wake-on LAN, and OOB Wake on LAN. Visit the HP Support page to determine your HP notebook's wattage and port specifications. Visit the support page of your non-HP notebook to determine its wattage and port specifications.
- [3] Three 4K displays supported only on Thunderbolt $^{\mathbb{M}}$ or USB-C $^{\mathbb{M}}$ -with-video-enabled notebooks. Supports three displays including the notebook screen.
- [4] Support for two displays includes one notebook screen and one external display or two external displays.
- [5] Sold separately.

Specifications

Dimensions (W x D x H)	122 x 122 x 45 mm	
Weight	695 g	
Video connectors	HDMI; DisplayPort™-out; USB Type-C®	
Ports	1 USB Type-C [®] 5Gbps signaling rate (up to 15 W USB Power Delivery)	
Ports	2 USB Type-A 5Gbps signaling rate (charging); 1 headphone/microphone combo	
Ports	2 USB Type-A 5Gbps signaling rate (charging); 1 HDMI 2.0; 2 DisplayPort™; 1 RJ-45	
Security management	1 Lock slot (side, lock is sold separately)	
UPC number	(ABB) 193905208715; (ABT) 193905208753	
Manufacturer Warranty	One-year limited warranty.	
Support service included	HP 3 years Next Business Day Exchange HW Support for Docking Stations. For terms and conditions, please visit https://cpc.ext.hp.com/portal/site/cpc/details/? serviceProductNumber=UC296E&selectedCountry=IL⟨=en_US	
What's in the box	HP USB-C/A Universal Dock G2; Documentation	

Additional specifications

Color	Black
Compatibility	Compatible with HP ProBook 450 G7 Notebook PC; HP ProBook 440 G7 Notebook PC; HP ProBook 430 G7 Notebook PC; HP ZHAN 66 Pro 14 G3 Notebook PC; HP ZHAN 66 Pro 15 G3 Notebook PC; HP ProBook 450 G6 Notebook PC; HP ProBook 440 G6 Notebook PC; HP ProBook 430 G6 Notebook PC; HP ProBook 440 G6 Notebook PC; HP ProBook 445 G6 Notebook PC; HP ProBook 455 G6 Notebook PC; HP ProBook 440 G5 Notebook PC; HP ProBook 450 G5 Notebook PC; HP ProBook 650 G5 Notebook PC; HP ProBook 640 G4 Notebook PC; HP ProBook 650 G4 Notebook PC; HP EliteBook 840 G6 Healthcare Edition Notebook PC; HP EliteBook 840 G6 Healthcare Edition Notebook PC; HP EliteBook 840 G6 Notebook PC; HP EliteBook 850 G5 Notebook PC; HP EliteBook 850 G6 Notebook PC; HP EliteBook 850 G5 Notebook PC; HP EliteBook 850 G6 Notebook PC; HP
Compatibility disclaimer 1	Dock power button will not work on Chromebooks.
Compatibility disclaimer 2	Dock provides up to 100W via USB-C alt mode port.
Compatibility disclaimer 3	Power not supported on Mobile Workstations.
Compatibility disclaimer 4	Power not supported on Mobile Workstations.
Compatible Operating Systems	Windows 7; Windows 10; Chrome™ OS; MacOS; Ubuntu Linux v18.04
Datasheet photo 1	AHID/dd588556d1269f41bcbebc3b5b3f994916ce25d2
Datasheet photo 2	AHID/b5d8e340d36e3c4d11425a428fcbb0eb8e8ade40
Datasheet photo 3	AHID/465ad2af20c09514bb7aa849ccbe4eb2455df37b
Datasheet photo 4	AHID/c08fadadfb7024107bee494533831525f89dc870
I/O Port location	Rear
	Triple monitor

I/O Port location	Front
I/O Port location	Side
Product safety	https://support.hp.com/us-en/document/ish_6126692-6126777-16? openCLC=true
Product subgroup	Docking
Product type	Port replicators
UNSPSC code	43211612

Services

Workforce Computing

Support Services (Workforce Computing)

HP 4y Next Business Day Response Advanced Exchange Docking Station HW Supp	UJ392E
HP 5y Next Business Day Response Advanced Exchange Docking Station HW Supp	UJ393E

★: Recommended

Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (il-en) – Nov 12, 2025 6:43 AM UTC+0000