





Veriton 2000 Compact Tower





Product views	 Power button Optical media drive Status LEDs Combo jack 	 5. Three USB 3.2 Gen 1 ports and one USB 3.2 Gen 1 Type-C port 6. Audio jacks 7. HDMI® port 	8. Display port9. Two USB 2.0 ports10. Two USB 2.0 ports11. VGA port	12. COM (Serial) port (optional)13. Ethernet (RI-45) port14. Power connector
Operating system ^{1, 2}	ESHELL	•	•	
CPU and chipset ¹	X2720G:			
	• Intel® Core™ i5 14th gen processors			
	Intel® H610 Chipset 16 GB DDR5 4800 MHz UDIMM			
Memory ^{1, 3, 4}	16 GB DDBS 4800 MHz DDIMM Up to 32 GB of Dual-channel DDR5 4800 MHz			
Storage ^{1, 5}	Op to 32 date drive:			
	• 512 GB M.2 2280 PCI-E Gen4 SSD			
Optical media drive	8X Super-Multi drive, 9.0 mm slim, tray-load			
Graphics ⁶	има			
Audio	Integrated high-definition sound, 5.1-channel surround sound			
Communication	WLAN: 802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth® 5			
Expansion slot(s)	PCle x16 slot(s): 1 PCle x1 slot(s): 1 M.2 slot (for SSD): 1 M.2 slot (for WLAN): 1			
Commercial features	Kensington lock slot TPM v2.0 (Trusted Platform Module) WOL (Wake On Lan)			
Commercial selected	Parallel (printer) port			
options	COM (Series) port			
	Internal speaker			
	Dust filter			
Dimensions	102.50 (W) x 307.70 (D) x 332 (H) mm (4.04 x 12.11 x 13.07 inches)			
Power supply and	X2720G:			
adapter	 180 W PFC, auto-sensing, 80PLUS® E 	3ronze, TFX		
System compliance	EPEAT® Silver (Spain), GS, ENERGY STAR®			
Options and accessories	Wireless (2.4 GHz RF) keyboard and mouse USB keyboard and mouse			
Certification	EPEAT Silver, BSMI, CE, FCC, CB- 3 YEA	A DC WADDANITY		

Specifications vary depending on model.

- 64-bit software is required to enjoy the advantages of 64-bit processing.
- A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- $1\,GB$ is $1\,b$ illion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.

 Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2023. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Arc graphics, Intel Atom, Intel Atom Inside, Intel Inside, Intel Inside Logo, Intel VPro, Intel Evo, Pentium, Pentium Inside, VPro Inside, Xeon, Xeon Inside, Intel Agilex, Arria, Cyclone, Movidius, eASIC, Ethernet, Iris, Killer, MAX, Select Solutions, Si Photonics, Stratix, Tofino, and Intel Optane are trademarks of Intel Corporation or its subsidiaries.